

CA1066 Cream to Powder Foundation

Ingredients	% (w/w)	INCI Designation	Supplier
Phase 1			
BTD-401	6.8	Titanium Dioxide (And) Isopropyl Titanium Triisostearate	Kobo
BYO-I2	0.4	Iron Oxide (C.I. 77492) (And) Isopropyl Titanium Triisostearate	Kobo
BRO-I2	0.2	Iron Oxide (C.I. 77491) (And) Isopropyl Titanium Triisostearate)	Kobo
BBO-I2	0.1	Iron Oxide (C.I.77499) (And) Isopropyl Titanium Triisostearate	Kobo
Cocoate BG	10	Butylene Glycol Cocoate	Gattefosse
Phase 2			
SunPearl Fine White	2		
SPCAT-I2	3	Talc (and) Ethylene/Methacrylate copolymer (and) Isopropyl Titanium Triisostearate	Kobo
ASO-I2	13	Aluminium Starch Octenylsuccinate (and) Isopropyl Titanium Triisostearate	Kobo
Carnauba Wax	4		
Microcrystalline Wax	1.5		
Plurol Diisostearique CG	3	Polyglyceryl-3 Diisostearate	Gattefosse
Labrafac CC	20	Caprylic/Capric Triglyceride	Gattefosse
Preservatives	0.3		
Phase 3			
Water	34.9		
Sodium Chloride	0.8		
Total	100		

Process:

1. Add Phase 1 raw material and mix with a homogenizer.
2. Add Phase 2 into Phase 1 and heat the mixture to 75-80°C with continuous agitation.
3. Add Phase 3 heated to 75-80°C slowly into the mixture and stir until homogenous.
4. Continue homogenizing to 55-60°C and fill into appropriate containers.

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.