



VOILE SOLAIRE SPRAYABLE JB 0868/B SPRAYABLE SUN VEIL JB 0868/B

Ingredients	INCI designation	% W/W	Function
<u>Phase 1</u>			
TEFOSE® 2000 (1)	PEG-6 STEARATE (AND) CETETH-20 (AND) STEARETH-20	6,00	Emulsifier o/w
ARLAMOL HD (2)	ISOHEXADECANE	15,00	Emollient
PHENONIP (3)	PHENOXYETHANOL (AND) METHYLPARABEN (AND) BUTYLPARABEN (AND) ETHYLPARABEN (AND) PROPYLPARABEN	0,50	Preservative
PARSOL 1789 (4)	BUTYL METHOXYDIBENZOYLMETHANE	1,00	Uv-a filter/organic
PARSOL MCX (4)	OCTYL METHOXYCINNAMATE	3,00	Uv-b filter/organic
UVINUL N-539-SG (5)	OCTOCRYLENE	1,00	Uv-b filter/organic
<u>Phase 2</u>			
DEMINERALIZED WATER	WATER	26,00	
E.D.T.A. DISODIUM SALT	DISODIUM EDTA	0,05	Chelating agent
<u>Phase 3</u>			
DEMINERALIZED WATER	WATER	43,93	
<u>Phase 4</u>			
VEGETOL® ALOES GR198 HYDRO (1)	PROPYLENE GLYCOL (AND) WATER (AND) ALOE BARBADENSIS EXTRACT	2,00	Moisturizer
YELLOW FDC N°5 (1% SOL) (6)	CI 19140	0,72	Dye
ORANGE DYE W 2002 (0,5% SOL.) (6)	CI 15985	0,80	Dye
		100,00	

(1) GATTEFOSSE SA / (2) ICI / (3) NIPA / (4) ROCHE / (5) BASF / (6) LCW

APPEARANCE:

Orange opaque liquid

MANUFACTURING PROCESS:

- Heat I and II at 80°C.
- Pour under stirring II into I.
- Maintain the temperature during 5 mn. then let cool down.
- At 72°C, add quickly III.
- Complete cooling and add IV.

ASPECT:

Liquide opaque orange

MODE OPERATOIRE:

- Chauffer I et II à 80°C.
- Ajouter, sous agitation, II dans I.
- Maintenir la température 5 min. puis laisser refroidir.
- A 72°C, ajouter III rapidement.
- Compléter le refroidissement et ajouter IV.

This formula is presented in good faith, and we believe it is correct, but not warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It is offered solely for your consideration, investigation and verification.

Cette formule correspond à notre meilleure connaissance et est fournie à titre indicatif. Elle n'implique aucune garantie de notre part en ce qui concerne l'emploi et les méthodes d'emploi de ladite formule et de ses ingrédients, ceci étant de la seule responsabilité des utilisateurs, qui devront en particulier vérifier qu'ils ne contreviennent pas à des brevets existants.