



### **Cream to Powder Foundation (150512A)**

| <u>INCI Name</u>                                                                                  | <u>Ingredient</u>    | <u>%</u> |
|---------------------------------------------------------------------------------------------------|----------------------|----------|
| A Ethyl Macadamiate                                                                               | Floramac 10          | 5.00     |
| A Pentaerythrityl Tetraisostearate                                                                | Corum 5041           | 5.00     |
| A Isoeicosane                                                                                     | Permethyl 101A       | 26.00    |
| A Dimethicone /Vinyl Dimethicone Crosspolymer                                                     | DC 9506 Powder       | 1.50     |
| B Carnauba Wax                                                                                    | Carnauba Wax         | 3.65     |
| B Candelilla Wax                                                                                  | Candelilla Wax       | 2.36     |
| B Glyceryl Dibehenate Tribehenin Glyceryl Behenate                                                | Compritol 888 ATO    | 0.50     |
| B Microcrystalline Wax                                                                            | Microcrystalline Wax | 1.60     |
| C Diisostearyl Malate                                                                             | Corum 5015           | 8.99     |
| C Titanium Dioxide (and) Isopropyl Titanium Triisostearate                                        | BTD-401              | 10.00    |
| C C.I.77492(and) Isopropyl Titanium Triisostearate                                                | BYO-I2               | 1.00     |
| C C.I.77491(and) Isopropyl Titanium Triisostearate                                                | BRO-I2               | 0.20     |
| D Polymethylmethacrylate                                                                          | Ganzpearl GM 0600    | 6.00     |
| D Talc (and) Methicone                                                                            | Micro ACE P2         | 2.00     |
| D Boron Nitride                                                                                   | CC-6058              | 1.00     |
| D Silica                                                                                          | KOBO MSS-500W        | 12.00    |
| D Mica (and) Isopropyl Titanium Triisostearate                                                    | KOBO GMS-I2          | 12.00    |
| D Phenoxyethanol (and) Methylparaben (and) Butylparaben<br>(and) Ethylparaben (and) Propylparaben | Paragon MEPB         | 1.00     |
| D Fragrance                                                                                       | Fragrance            | 0.20     |

#### PROCEDURE:

1. Heat Part A and Part B to 80°C
2. Add Part B into Part A and keep the temperature of the mixture.
3. With the aid of a homomixer, add each ingredient of Part C to Part AB.
4. Add each ingredient of Part D to Part ABC with homomixer agitation.
5. Add the rest ingredients mix well. Mold and cool.