

CA1060 BB Cream for Oily Skin

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
Phase 1				
Phenyl Trimethicone	5	Feeling agent	Phenyl Trimethicone	Basildon
Cyclomethicone	8	Feeling agent	Cyclomethicone	Basildon
Plurol Diisostearique CG	4	W/O emulsifier	Polyglyceryl-3 Diisostearate	Gattefosse
DC 5225C	15	W/Si emulsifier	Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone	Dow Corning
CM3K40T4	15	UV dispersion	Cyclopentasiloxane (and) Titanium Dioxide (and) PEG-10 Dimethicone (and) Alumina (and) Methicone	Kobo
Beeswax	0.7	Thickener	Beeswax	Chemie
BC 20cs	2	Feeling agent	Dimethicone 20cs	Basildon
MOD	3	Emollient	Octyldodecyl Myristate	Gattefosse
WE70U	4	Pigment dispersion	Titanium Dioxide (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE55Y	0.6	Pigment dispersion	Iron Oxides (CI 77492) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE70R	0.2	Pigment dispersion	Iron Oxides (CI 77491) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE70B	0.05	Pigment dispersion	Iron Oxides (CI 77499) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
Ethanol	1	Solvent	Ethanol	Chemie
Lucentite SAN-P	1.5	Oil binder	Lithium Magnesium Sodium Silicate/Distearyltrimonium Chloride	Kobo
Microcare PM5	0.8	Preservatives	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Propylparaben (and) Butylparaben (and) Isobutylparaben	Thor
Phase 2				
DI Water	19.78	Carrier		
Butylene Glycol	5	Humectant	Butylene Glycol	
Allantoin	0.3	Soothing agent	Allantoin	Merck
Disodium EDTA	0.07	Chelating agent	Disodium EDTA	
MSS-500/3H	1	Oil absorber	Silica	Kobo
NaCl	1	Stabiliser	Sodium Chloride	
Phase 3				
SP-500	2	Feeling agent	Nylon-12	Kobo
EA-209	2	Feeling agent	Polymethyl Methacrylate	Kobo
Vegetol Witch Hazel MCF 2032 Hydro	1	Sebum regulator	Propylene Glycol (and) Water (and) Witch Hazel extract	Gattefosse
Vegetol Licorice extract GR456 Hydro	1	Whitening active	Propylene Glycol (and) Water (and) Licorice extract	Gattefosse
Vegetol Roman Chamomile LC 376	1	Soothing agent	Propylene Glycol (and) Water (and) Chamomile extract	Gattefosse
Vitamin E Acetate	0.3	Skin repair active	Vitamin E Acetate	
Cytobiol Burdock	2	Sebum regulator	Water (and) Propylene Glycol (and) arctium Majus root extract (and) Zinc PCA (and) Biotin	Gattefosse

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
PF. JG 15581	0.7	Fragrance	Fragrance	Technico
Cn-PS2	1	Hydration active	Palmitoyl Hydroxypropyl Trimonium Amylopectin/Glycerine Crosspolymer (and) Phenoxyethanol (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben	Kobo
Gs-PPY	1	Remove dead cell	Water (and) Palmitoyl Hydroxypropyl Trimonium Amylopectin/ Glycerine Crosspolymer (and) Papain (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben	Kobo
Total	100			

Process:

1. Premix all the ingredients in Phase1 and stir until homogenous. Heat to 75-80°C.
2. Premix all the ingredients in Phase 2 and mix until homogenous. Heat to 75-80°C.
3. Add Phase 2 heated to 75-80°C into Phase 1 heated to 75-80°C with moderate agitation and stir until homogenous.
4. Cool while stirring.
5. Finally, add the ingredients in Phase 3 according to the order at 45°C and stir until well mix.
6. Complete cooling.

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.