

CA 1012 BB Cream for Sensitive Skin (Malay)

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
Phase 1				
Phenyl Trimethicone	5	Feeling agent	Phenyl Trimethicone	Basildon
Cyclomethicone	8	Feeling agent	Cyclomethicone	Basildon
Plurol Diisostearique CG	4	W/O emulsifier	Polyglyceryl-3 Diisostearate	Gattefosse
DC 5225C	15	W/Si emulsifier	Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone	Dow Corning
CM3K40T4	15	UV dispersion	Cyclopentasiloxane (and) Titanium Dioxide (and) PEG-10 Dimethicone (and) Alumina (and) Methicone	Kobo
Beeswax	0.7	Thickener	Beeswax	
BC 100cs	2	Feeling agent	Dimethicone 100cs	Basildon
MOD	3	Emollient	Octyldodecyl Myristate	Gattefosse
WE70U	3	Pigment dispersion	Titanium Dioxide (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE55Y	1.76	Pigment dispersion	Iron Oxides (CI 77492) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE70R	0.06	Pigment dispersion	Iron Oxides (CI 77491) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
WE70B	0.03	Pigment dispersion	Iron Oxides (CI 77499) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate	Kobo
Ethanol	1	Solvent	Ethanol	

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
Lucentite SAN-P	1.5	Oil binder	Lithium Magnesium Sodium Silicate/Distearyldimonium Chloride	Kobo
Microcare PM5	0.8	Preservatives	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Propylparaben (and) Butylparaben (and) Isobutylparaben	Thor
Phase 2				
DI Water	21.98	Carrier		
Butylene Glycol	5	Humectant	Butylene Glycol	
Allantoin	0.3	Soothing agent	Allantoin	
Disodium EDTA	0.07	Chelating agent	Disodium EDTA	
MSS-500/3H	1	Oil absorber	Silica	Kobo
Phase 3				
SP-10	2	Feeling agent	Nylon-12	Kobo
EA-209	2	Feeling agent	Polymethyl Methacrylate	Kobo
Vegetol Witch Hazel MCF 2032 Hydro	1	Sebum regulator	Propylene Glycol (and) Water (and) Witch Hazel extract	Gattefosse
Vegetol Licorice GR456 Hydro	1	Whitening active	Propylene Glycol (and) Water (and) Licorice extract	Gattefosse
Vegetol Roman Chamomile LC 376 Hydro	1	Soothing agent	Propylene Glycol (and) Water (and) Chamomile extract	Gattefosse
Vitamin E Acetate	0.3	Skin repair active	Vitamin E Acetate	
PF. JG 15581	0.5	Fragrance	Fragrance	Technico Flor
Cn-PS2	1	Hydration active	Palmitoyl Hydroxypropyl Trimonium Amylopectin/Glycerine Crosspolymer (and) Phenoxyethanol (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben	Kobo

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.

Ingredients	% (w/w)	Functions	INCI Designation	Supplier
Gs-PPY	1	Remove dead cell	Water (and) Palmitoyl Hydroxypropyl Trimonium Amylopectin/ Glycerine Crosspolymer (and) Papain (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben	Kobo
NaCl	1	Stabiliser	Sodium Chloride	
Total	100			

Process:

1. Prepare Phase 1 and disperse Lucentite SAN-P over the surface of the oil phase and stir about 15minutes until homogenous.
2. Mix all the ingredients in Phase 2 and stir until homogenous.
3. Add Phase 2 heated to 75-80°C into Phase 1 heated to 75-80°C and with moderate stirring speed.
4. Cool while stirring.
5. Finally, add Phase 3 into Phase 1+2 at about 45°C.
6. Complete cooling.

This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.