

# CA 1013 BB Cream for Sensitive Skin (Chinese)

| Ingredients              | % (w/w) | Functions          | INCI Designation                                                                                                                                     | Supplier    |
|--------------------------|---------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>Phase 1</b>           |         |                    |                                                                                                                                                      |             |
| Phenyl Trimethicone      | 5       | Feeling agent      | Phenyl Trimethicone                                                                                                                                  | Basildon    |
| Cyclomethicone           | 8       | Feeling agent      | Cyclomethicone                                                                                                                                       | Basildon    |
| Plurol Diisostearique CG | 4       | W/O emulsifier     | Polyglyceryl-3 Diisostearate                                                                                                                         | Gattefosse  |
| DC 5225C                 | 15      | W/Si emulsifier    | Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone                                                                                                   | Dow Corning |
| CM3K40T4                 | 15      | UV dispersion      | Cyclopentasiloxane (and) Titanium Dioxide (and) PEG-10 Dimethicone (and) Alumina (and) Methicone                                                     | Kobo        |
| Beeswax                  | 0.7     | Thickener          | Beeswax                                                                                                                                              |             |
| BC 100cs                 | 2       | Feeling agent      | Dimethicone 100cs                                                                                                                                    | Basildon    |
| MOD                      | 3       | Emollient          | Octyldodecyl Myristate                                                                                                                               | Gattefosse  |
| WE70U                    | 4       | Pigment dispersion | Titanium Dioxide (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate       | Kobo        |
| WE55Y                    | 0.7     | Pigment dispersion | Iron Oxides (CI 77492) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate | Kobo        |
| WE70R                    | 0.1     | Pigment dispersion | Iron Oxides (CI 77491) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate | Kobo        |
| WE70B                    | 0.05    | Pigment dispersion | Iron Oxides (CI 77499) (and) Polyglyceryl-4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate (and) Isopropyl Titanium Triisostearate | Kobo        |
| Ethanol                  | 1       | Solvent            | Ethanol                                                                                                                                              |             |

*This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.*

| Ingredients                          | % (w/w) | Functions          | INCI Designation                                                                                                                                                                | Supplier      |
|--------------------------------------|---------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Lucentite SAN-P                      | 1.5     | Oil binder         | Lithium Magnesium Sodium Silicate/Distearyldimonium Chloride                                                                                                                    | Kobo          |
| Microcare PM5                        | 0.8     | Preservatives      | Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Propylparaben (and) Butylparaben (and) Isobutylparaben                                                              | Thor          |
| <b>Phase 2</b>                       |         |                    |                                                                                                                                                                                 |               |
| DI Water                             | 21.78   | Carrier            |                                                                                                                                                                                 |               |
| Butylene Glycol                      | 5       | Humectant          | Butylene Glycol                                                                                                                                                                 |               |
| Allantoin                            | 0.3     | Soothing agent     | Allantoin                                                                                                                                                                       |               |
| Disodium EDTA                        | 0.07    | Chelating agent    | Disodium EDTA                                                                                                                                                                   |               |
| MSS-500/3H                           | 1       | Oil absorber       | Silica                                                                                                                                                                          | Kobo          |
| <b>Phase 3</b>                       |         |                    |                                                                                                                                                                                 |               |
| SP-10                                | 2       | Feeling agent      | Nylon-12                                                                                                                                                                        | Kobo          |
| EA-209                               | 2       | Feeling agent      | Polymethyl Methacrylate                                                                                                                                                         | Kobo          |
| Vegetol Witch Hazel MCF 2032 Hydro   | 1       | Sebum regulator    | Propylene Glycol (and) Water (and) Witch Hazel extract                                                                                                                          | Gattefosse    |
| Vegetol Licorice GR456 Hydro         | 1       | Whitening active   | Propylene Glycol (and) Water (and) Licorice extract                                                                                                                             | Gattefosse    |
| Vegetol Roman Chamomile LC 376 Hydro | 1       | Soothing agent     | Propylene Glycol (and) Water (and) Chamomile extract                                                                                                                            | Gattefosse    |
| Vitamin E Acetate                    | 0.3     | Skin repair active | Vitamin E Acetate                                                                                                                                                               |               |
| PF. JG 15581                         | 0.7     | Fragrance          | Fragrance                                                                                                                                                                       | Technico Flor |
| Cn-PS2                               | 1       | Hydration active   | Palmitoyl Hydroxypropyl Trimonium Amylopectin/Glycerine Crosspolymer (and) Phenoxyethanol (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben | Kobo          |

*This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.*

| Ingredients  | % (w/w) | Functions        | INCI Designation                                                                                                                                                                     | Supplier |
|--------------|---------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Gs-PPY       | 1       | Remove dead cell | Water (and) Palmitoyl Hydroxypropyl Trimonium Amylopectin/ Glycerine Crosspolymer (and) Papain (and) Hydrogenated Lecithin (and) Methylparaben (and) Butylparaben (and) Ethylparaben | Kobo     |
| NaCl         | 1       | Stabiliser       | Sodium Chloride                                                                                                                                                                      |          |
| <b>Total</b> | 100     |                  |                                                                                                                                                                                      |          |

**Process:**

1. Prepare Phase 1 and disperse Lucentite SAN-P over the surface of the oil phase and stir about 15minutes until homogenous.
2. Mix all the ingredients in Phase 2 and stir until homogenous.
3. Add Phase 2 heated to 75-80°C into Phase 1 heated to 75-80°C and with moderate stirring speed.
4. Cool while stirring.
5. Finally, add Phase 3 into Phase 1+2 at about 45°C.
6. Complete cooling.

*This formula is presented in good faith, and we believe it is correct, but no warranty as to accuracy of results, or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It's offered solely for your consideration, investigation and verification.*